

Content Development Manager


Objectives

At the end of the session participants will understand:

- REx-PN® item development process
- How outdated content is identified and corrected




What is the REx-PN®?















Practice Analysis

- Often referred to as a job analysis
- Analyze the on-the-job behaviors of the incumbent nurses
- Results used to develop the exam outline or REx-PN




REx-PN Test Plan

- Content Distribution
- REx-PN Integrated Processes
- Administration
- Nursing content examples
- REx-PN Item after each test plan category
- Computerized Adaptive Test (CAT) principles



REx-PN Test Plan

- Developed as a result of the recent practice analysis data
- Used to guide REx-PN content delivery during each exam
- Serves as a guide for candidates





Item Development

- Item Writing
- Item Review
- Sensitivity Review
- Differential Item Functioning (DIF) Review
- Nursing Regulatory Body (NRB) Review



Item Development - Roles



Item Writers

Create the questions or "items" that are used on the REx-PN®

Item Reviewers

Examine the items that are created by Item Writers



Item Development - Item Writers

Requirements

- Current, unencumbered RN or RPN/PN nursing license in British Columbia or Ontario
- Current employment position of faculty teaching PN nursing content in the clinical area



REx-PN® Items Must Be

Linked to the test plan

Suitable for entrylevel practice

Accurate

Current in nursing practice

Only one correct answer

Unless multiple response



!"#\$%&#'#()*\$#+"%, !"#\$%-#'.#/#01

Current unencumbered RN or RPN PN nursing license in British Columbia or Ontario Maintain kno ledge regarding current PN practice including entr level PN practice Current emplo ment consists of providing



Unintentional Bias Reviews

- Sensitivity Review
 - Pretest
- DIF Review
 - Pretest
 - Operational



Unintentional Bias Review Criteria

Stereotypes

Inflammatory material

Language

! ""#\$%&'()"




Unintentional Bias Reviews

- All items are reviewed to ensure the exclusion of sensitive, unintentional biased language
- Items are edited to remove words or phrases which may



Editorial Review







Clarity



Punctuation



Spelling



One Writer



Pretest Items

- Every item is pretested before being placed in the operational pool
- Statistical data are gathered on each pretested item
- Data are used to evaluate items and ensure all operational items are accurate and fit the testing model
- 30 pretest items on every REx-PN® exam-



- Randomly intermixed with operational items
- Not used to estimate the candidate's ability
- Used for maintaining item bank inventory
- Indistinguishable from operational items for candidates



NRB Review

- Conducted biannually
- Review criteria
 - Entry-Level appropriateness
 - Congruency in nurse administrative rules and regulations
 - Comments forwarded to REx-PN® Practical Nurse Examination Committee (PNEC)



PNEC Review

• Comprised of nurse regulatorss Comporpors--W4Vpw



For Additional Information


REx-PN Webinar Series – Item Writing and Item Review ncsbn.org/rex-pn




DOG Worthal

%&'()*

REx-PN Maintenance



Pool Rotation and Maintenance



Item Review



Content Currency



Pool Rotation

- REx-PN® item pool delivery schedule
- Review activities prior to pool deployment





Identification of Outdated Content

- Validation Process
 - Staff Reviews (referencing)
- Item Review Panels
 - Subject Matter Experts (SMEs)
 - NRB Reviews



>"=3?#5\$,"=,\$!48??#4\$)110\$%#/8#@5



```
! "#$%& '#(")*+,-"$,."/
```

W d Hea h O ga a WHO Hea a d S e F da f Ca ada




Medication/Device Recall or Discontinuation



Public Policy

Ca Sea G de e Med ca D a

Examples





Corrective Actions





In Summary

- Multi-Step Process
- Strong reliance on nurse volunteers
- Extensive validation process
- Ability to remove outdated content immediately



REx-PN® Volunteer Opportunities

 Stay tuned to learn more about volunteer opportunities to participate in the development of REx-PN.



